

UX SDR GSG 9 TEGIMENT

Page 1 / 3
May 2024

The mission timer for special operation forces.



- **TEGIMENT option:** The case also features **TEGIMENT Technology**, making it especially scratch-resistant. If you choose a silicone strap, the design of the clasp will also be on a **TEGIMENT Technology** basis. If you decide to go for a solid bracelet, this also features **TEGIMENT Technology**.
- Completely made of high-strength seawater-resistant German Submarine Steel
- Tested based on European diving equipment standards and certified by an independent institute
- Official service watch of the German GSG 9 special forces
- Thanks **HYDRO Technology** for perfect readability even under water and freedom from reflection at any angle and completely free from fogging
- Case made with **TEGIMENT Technology** and therefore especially scratch-resistant
- Bezel with **Black Hard Coating** on a **TEGIMENT Technology** basis
- Functionally reliable from -20 °C up to $+60\text{ °C}$
- High-precision quartz movement, temperature-stabilised
- Captive diver's bezel with minute ratcheting
- Crown on the left side of the case to prevent pressure on the back of the hand
- Mission timer design for optimal readability
- Sapphire crystal glass
- Water-resistant and pressure-resistant to 5000 m diving depth (= 500 bar), certified by an independent institute
- Low pressure resistant

Rescuing the hijacked "Landshut" aircraft on October 18, 1977 in Mogadishu made the German GSG 9 (Grenzschutzgruppe 9) special forces world-famous. Just as legendary as the reputation of the anti-terrorism unit of the German federal police is the diving watch that their maritime unit wears during its missions.

Together with GSG 9, we developed the EZM 2 mission timer in the mid-1990s. This timepiece met the special functional requirements of the divers exactly and incorporated the successful features of the 403 HYDRO diving watch. Now this service watch has a worthy successor that can be purchased by anyone: the UX GSG 9 (EZM 2B) diving watch.

The diving watch incorporates proven features such as the HYDRO Technology for perfect readability even under water and freedom from reflection at any angle, a large black dial with white hands and 5-minute indices, especially visible at 12 o'clock (mission timer design), a case made of seawater-resistant submarine steel and a captive diver's bezel with TEGIMENT Technology. The position of the crown at 10 o'clock to prevent pressure on the back of the hand is a feature, as is the "GSG 9" logo on the dial.

Technical details

Quartz Movement

- ETA 955.652
- High-precision quartz movement, temperature-stabilised
- End of life function
- 7 bearing jewels
- Seconds stop function
- Anti-magnetic as per DIN 8309
- Functionally reliable from - 20 °C to + 60 °C

Case

- Case made of German submarine steel, bead-blasted
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for water-resistance, as set out in standard DIN 8310
- Water-resistant and pressure-resistant to 5000 m diving depth (= 500 bar), certified by an independent institute
- According to the technical demands for the diving norm DIN 8306
- Tested based on European diving equipment standards EN 250 / EN14143 and certified by an independent institute
- Low pressure resistant

Functions

- Hours, minutes, seconds
- Date display
- Diver's bezel with minute ratcheting and luminous key mark

SINN Technologies

- HYDRO Technology for perfect readability even under water and freedom from reflection at any angle and completely free from fogging
- TEGIMENT Technology, therefore especially scratch-resistant
- Bezel with Black Hard Coating on a TEGIMENT Technology basis
- Captive bezel
- Crown with D3-System

Dimensions and Weight

- Case diameter: 44 mm
- Band lug width: 22 mm
- Case thickness: 13.3 mm
- Weight without strap: 105 gramme

Dial and Hands

- Matte black dial
- Indices coated with luminescent colour
- Hour, minute and second hand coated with luminescent colour
- Mission timer design for optimal readability

Warranty

- 3 years