

UX S (EZM 2B)

- Completely made of high-strength seawater-resistant German Submarine Steel
- Tested based on European diving equipment standards and certified by DNV
- Thanks HYDRO Technology for perfect readability even under water and freedom from reflection at any angle and completely free from fogging
- Case and bezel made with Black Hard Coating on a TEGIMENT Technology basis
- Functionally reliable from -20 °C up to $+60\text{ °C}$
- High-precision quartz movement, temperature-stabilised
- Captive diver's bezel with minute ratcheting
- Crown at 4 o'clock to prevent pressure on the back of the hand
- Mission timer design for optimal readability
- Sapphire crystal glass
- Water-resistant and pressure-resistant to 5000 m diving depth (= 500 bar), certified by DNV
- Low pressure resistant



The diving watches of the UX (EZM 2 B) model series are the official timepieces worn by the maritime squad of the GSG 9 Special Forces unit. One of the outstanding characteristics of this series of watches, and therefore also of the UX S, is our HYDRO Technology. We fill our watches with special oil that makes them non-reflective underwater and completely free from fogging, and also ensures that the dial can be read from any angle. And because it is filled with oil, the case made of seawater-resistant submarine steel can withstand water pressure at every reachable depth. We have also treated the cases of this timepiece with our TEGIMENT Technology for additional robustness. Besides enhancing hardness, this treatment enables us to apply a high-quality, black PVD coating. The combination of these two techniques makes this diving watch perfectly suited for everyday use. The Black Hard Coating on a TEGIMENT basis prevents the flaking that colored coatings are generally susceptible to.

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de

Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444

Technical details

Quarzwerk

- ETA 955.652
- High-precision quartz movement, temperature-stabilised
- 7 bearing jewels
- Seconds stop function
- Shock resistant as per DIN ISO 1413
- Anti-magnetic as per DIN 8309

Case

- Case made of German submarine steel, black
- Sapphire crystal glass in front, anti-reflective on both sides
- Case back screw-fastened
- Crown screwable
- Meet the technical requirements for water-resistance, as set out in standard DIN 8310
- Water-resistant and pressure-resistant to 5000 m diving depth (= 500 bar), certified by DNV
- According to the technical demands for the diving norm DIN 8306
- Tested based on European diving equipment standards EN 250 / EN14143 and certified by DNV
- Low pressure resistant

Functions

- Hours, minutes, seconds
- Date display
- Diver's bezel with minute ratcheting and luminous key mark

SINN SPEZIALUHREN GMBH

SINN Technologies

- Black Hard Coating on a TEGIMENT Technology basis
- HYDRO Technology for perfect readability even under water and freedom from reflection at any angle and completely free from fogging
- Captive bezel
- Temperature resistance technology, therefore functionally reliable at temperatures from –20 °C up to +60 °C
- Crown with D3-System

Dimensions and Weight

- Case diameter: 44 mm
- Band lug width: 22 mm
- Case thickness: 13.3 mm
- Weight without strap: 105 gramme

Dial and Hands

- Matte black dial
- Indices coated with luminescent colour
- Hour, minute and second hand coated with luminescent colour
- Mission timer design for optimal readability

Warranty

- 3 years

Price

with leather strap from 2.640,00 €

with solid bracelet from 3.100,00 €

with silicone strap from 2.730,00 €

SINN SPEZIALUHREN GMBH

incl. tax

SINN SPEZIALUHREN GMBH

Wilhelm-Fay-Straße 21 • 65936 Frankfurt am Main • Tel. +49 (0)69 978414-0 • Fax +49 (0)69 978414-201 • info@sinn.de • www.sinn.de
Managing director: Lothar Schmidt • District court Frankfurt am Main • HRB 38841 • VAT identification number: DE249383321 • WEEE-REg.-Nr.: DE75393444